

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(crosscoupl\$3 or crossconnect\$3) with (negative or vbb or "v.sub.bb" or vee or "v.sub.ee")	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:36
L2	643	(cross adj (coupl\$3 or connect\$3)) with (negative or vbb or "v.sub.bb" or vee or "v.sub.ee")	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:37
L3	20	(1 or 2) same (level near3 shift\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:02
L4	58	(1 or 2) and (level near3 shift\$3) not 3	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:39
L5	571	(1 or 2) not (3 or 4)	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:14
L6	33	5 and "gate oxide"	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:18
L7	165	5 and CMOS not 6	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:18
L8	121	5 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:18
L9	27	5 and "326"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:18
L10	86	5 and "365"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:18
L11	100	7 and (8 or 9 or 10)	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:35
L12	65	7 not 11	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:42
L13	74	8 not 11	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:49
L14	50	(9 or 10) not 11	US-PGPUB; USPAT	OR	OFF	2005/05/09 08:49
L15	91722	(generat\$3 or provid\$3 or produc\$4) near5 (negative or vbb or "v.sub.bb" or vee or "v.sub.ee")	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:16
L16	188	15 with (level near3 shift\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:16
L17	47	16 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:37
L18	14	16 and "326"/\$.ccls. not 17	US-PGPUB; USPAT	OR	OFF	2005/05/09 09:14
L19	30	16 and "365"/\$.ccls. not (17 or 18)	US-PGPUB; USPAT	OR	OFF	2005/05/09 09:41
L20	97	16 not (17 or 18 or 19)	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:20

L21	3006	327/215,219,333,374,376,377,536,537.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:35
L22	2792	365/189.11,226.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:35
L23	1469	326/17,68,81.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:36
L24	9	(21 or 22 or 23) and (crosscoupl\$3 or crossconnect\$3) and (negative or vbb or "v.sub.bb" or vee or "v.sub.ee")	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:37
L25	547	(21 or 22 or 23) and (cross adj (coupl\$3 or connect\$3)) and (negative or vbb or "v.sub.bb" or vee or "v.sub.ee")	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:37
L26	505	(24 or 25) not (3 or 4 or 6 or 7 or 8 or 9 or 10 or 16)	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:38
L27	185	26 and (level near3 shift\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/09 10:39
L28	31	27 and "substrate voltage"	US-PGPUB; USPAT	OR	OFF	2005/05/09 11:46
L29	154	27 not 28	US-PGPUB; USPAT	OR	OFF	2005/05/09 11:23
L30	320	26 not 27	US-PGPUB; USPAT	OR	OFF	2005/05/09 11:23
L31	83	30 and shift\$3	US-PGPUB; USPAT	OR	OFF	2005/05/09 11:41
L32	33	30 and "gate oxide" not 31	US-PGPUB; USPAT	OR	OFF	2005/05/09 11:45
L33	204	30 not (31 or 32)	US-PGPUB; USPAT	OR	OFF	2005/05/09 11:45
L34	21	33 and "substrate voltage"	US-PGPUB; USPAT	OR	OFF	2005/05/09 11:53
L35	97	33 and CMOS not 34	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:07
L36	86	33 not (34 or 35)	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:07
L37	61800	output\$4 near5 (negative or vbb or "v.sub.bb" or vee or "v.sub.ee")	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:15
L38	139	output\$4 near5 (vneg or "v.sub.neg" or vnn or "v.sub.nn")	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:15
L39	160	(generat\$3 or provid\$3 or produc\$4) near5 (vneg or "v.sub.neg" or vnn or "v.sub.nn")	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:16
L40	1074	(15 or 37 or 38 or 39) same (level near3 shift\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:17

L41	142	40 and (21 or 22 or 23)	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:17
L42	105	41 not (17 or 18 or 19)	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:18
L43	236	40 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:38
L44	129	40 and "326"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:38
L45	116	40 and "365"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:38
L46	214	(43 or 44 or 45) not (17 or 18 or 19 or 42)	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:40
L47	13	46 and "gate oxide"	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:43
L48	112	46 and gate and drain and source not 47	US-PGPUB; USPAT	OR	OFF	2005/05/09 12:59
L49	89	46 not (47 or 48)	US-PGPUB; USPAT	OR	OFF	2005/05/09 13:05
L50	12829	(gate adj oxide\$1) with (thick\$3 or thin\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/09 13:06
L51	385	(21 or 22 or 23) and 50	US-PGPUB; USPAT	OR	OFF	2005/05/09 13:06
L52	314	50 same (shift\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/09 13:06
L53	52	51 and 52	US-PGPUB; USPAT	OR	OFF	2005/05/09 13:37
L54	94	52 and ("327"/\$ or "326"/\$ or "365"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/09 13:37
L55	42	54 not 53	US-PGPUB; USPAT	OR	OFF	2005/05/09 13:37